

PRODUCTS

OUR RANGE OF HIGH SECURITY PRODUCTS

Contact our office staff now to discuss your security needs on:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



ABOUT US



Britannia Security & Maintenance is one of the UK's leading Security & Roller Shutter/Grille manufacturers & installers

Britannia Security & Maintenance Ltd have been manufacturing and supplying Roller shutter doors, window grilles, security fencing and other security products to commercial premises, shops, blue chip companies and many other industrial premises for over 35 years.

We pride ourselves on our commitment and professional workmanship at every stage of our service.

From measurement and consultation, to the manufacture, supply, fitting and beyond, you are in safe hands.



Address:
Unit 4J,
Crossley Park,
Crossley Rd,
Stockport
SK4 5BF

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Commercial Roller Shutters

At Britannia Security & Maintenance we offer you competitive pricing and in house manufacturing to suit your exact needs:

- Quick and efficient turn around time.
- Strength and durability achieved by using the highest quality raw materials.
- We provide a full roller shutter repair and maintenance service and a 24 hour emergency number for urgent repairs.
- 12 month guarantee - extensions available with a servicing contract.
- Bespoke pricing
- Cradle to grave process from surveying to the general maintenance

SHUTTER OPERATION:

- Manual: fitted with anti drill/pick bullet locks or central lock for dual operation (Max size 2m x 2m)
- Chain: via direct drive or geared ratio drive system (dependent on size)
- Motorised: via single phase tubular



STANDARD COMMERCIAL SHUTTER SPECIFICATIONS:

- 76mm 22 & 20 gauge galvanised steel curly lath (Variations available)
- L & T section bottom rail constructed from galvanised steel
- 64 & 100mm channels rolled mild steel
- 50 & 76mm x 6mm fixing angles rolled from mild steel
- Motor: Tubular
- 100mm 16swg motor barrel assembly with lost bobbin dummy end
- 240volt single phase tubular motor
- Internal manual override facility
- (Fire rated optional)
- (product sizes dependent on size of the shutter)
- Safety break required if shutter is used as an access point




Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Options & Extras

We provide a selection of options on our Commercial Roller Shutter Range, to best fit your property. As-well as these options all the shutters can be powder coated any RAL colour. See the next page for these options:

CONTROL OPTIONS



Remote Control

Operate your security with a handheld remote control.



Rocker Switch

Simple Hold-to-Run design. Wireless option available



Key Pad

Electronic Key pad provides secure access to the users with the code.



Key Switch

Key based security, easy-to-use operation, Hold down to run operation.

WHAT SHUTTER IS SUITABLE FOR YOU?

Below is a list of our popular curtain slates for commercial properties:



Galvanised Steel

Standard option for medium to large commercial properties. Exceptional strength at a low budget. Can be coated a variety of colours



Insulated Steel

A double skinned steel profile with a polyurethane insulating core, sound-proofing and insulation.



Perforated Steel

Single Skin Steel Lath with perforated holes to transfer light. Exceptional strength, suitable for medium to large premises.



Block/Chain Lath

stacked in a Brick formation providing visuals and airflow into the premises as well as security.

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Industrial Roller Shutters

At Britannia Security & Maintenance we offer you competitive pricing and in house manufacturing to suit your exact needs:

- Quick and efficient turn around time.
- Strength and durability achieved by using the highest quality raw materials.
- We provide a full roller shutter repair and maintenance service and a 24 hour emergency number for urgent repairs.
- 12 month guarantee - extensions available with a servicing contract.
- Bespoke Manufacturing

STANDARD INDUSTRIAL SHUTTER SPECIFICATIONS:

- 76mm 22 & 20 gauge galvanised steel curly lath (Variations available)
- L & T section bottom rail constructed from galvanised steel
- 64 & 100mm channels rolled mild steel
- 50 & 76mm x 6mm fixing angles rolled from mild steel
- Motor: Tubular/Direct drive/Flange
(product sizes dependent on size of shutter)
- Safety break required if shutter is used as an access point
- Both single phase and three phase available

SHUTTER OPERATION

- Manual: fitted with anti drill/pick bullet locks or central lock for dual operation
- Chain: via direct drive or geared ratio drive system (dependent on size)
- Motorised: via single phase tubular or single/three phase flange or shaft drive units



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



Options & Extras


We provide a selection of options on our Industrial Roller Shutter Range, to best fit your property. As-well-as these options all the shutters can be powder coated any RAL colour, see next page:

CONTROL OPTIONS:



Remote Control

Operate your security with a handheld remote control. Our most popular option.



Rocker Switch

Simple Hold-to-Run design. Wireless option available



Key Pad

Electronic Key pad provides secure access to the users with the code.



Key Switch

Key based security, easy-to-use operation, Hold down to run operation.

WHAT SHUTTER IS SUITABLE FOR YOU?

Below is a list of our popular curtain slates for commercial properties:



Galvanised Steel

Standard option for medium to large commercial properties. Exceptional strength at a low budget.



Insulated Steel

A double skinned steel profile with a polyurethane insulating core, sound-proofing and insulation.



Perforated Steel

Single Steel Lath with perforated holes to transfer light. Exceptional strength, suitable for medium to large premises.



Block/Chain Lath

stacked in a Brick formation providing visuals and airflow into the premises as well as security.

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Domestic Roller Shutters

At Britannia Security & Maintenance our Domestic Shutter range are aesthetically appealing whilst providing your home with added security:

- Quick and efficient turn around time.
- Strength and durability achieved by using the highest quality raw materials.
- Our domestic shutters automatically lock when fully closed and provide an ideal barrier to keep out intruders & deter vandalism.
- We provide a full roller shutter repair and maintenance service and a 24 hour emergency number for urgent repairs.
- 12 month guarantee - extensions available with a servicing contract.

SHUTTER OPERATION

- Manual: operated via a strap, can be secured with center lock
- Motorised: via single phase tubular

STANDARD DOMESTIC SHUTTER SPECIFICATIONS:

- 44mm Extruded Aluminium lath + Aluminium frame
- Electrically operated
- Powder coated in house any RAL colour to suit
- Canopy
- Auto locks
- Aluminium bottom rail
- Key Switch/Rocker & Remote unit optional
- Canopy included



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



Options & Extras


We provide a selection of options on our Domestic Roller Shutter Range, to best fit your property. As-well-as these options all the shutters can be powder coated any RAL colour, see next page:

CONTROL OPTIONS :



Remote Control

Operate your security with a handheld remote control. Our most popular option.



Rocker Switch

Simple Hold-to-Run design. Wireless option available



Key Pad

Electronic Key pad provides secure access to the users with the code.vv



Key Switch

Key based security, easy-to-use operation, Hold down to run operation.

WHAT SHUTTER IS SUITABLE FOR YOU?

Below is a list of our popular curtain slates for commercial properties:



Aluminium

Standard option for medium to large domestic properties. Exceptional strength at a low budget.



Insulated Steel

A double skinned steel profile with a polyutherene insulating core, sound-proofing and insulation.

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Colour Options

RAL 1000	RAL 1001	RAL 1002	RAL 1003	RAL 1004	RAL 1005	RAL 1006	RAL 1007	RAL 1011	RAL 1013	RAL 1020	RAL 1024
RAL 1029	RAL 1036	RAL 2007	RAL 2016	RAL 1019	RAL 1030	RAL 1041	RAL 1071	RAL 1039	RAL 1028	RAL 1027	RAL 1026
RAL 1033	RAL 1044	RAL 2004	RAL 1035	RAL 1036	RAL 1037	RAL 2000	RAL 2001	RAL 2002	RAL 2003	RAL 2004	RAL 2005
RAL 2007	RAL 2008	RAL 2009	RAL 2010	RAL 2011	RAL 2012	RAL 2013	RAL 3000	RAL 3001	RAL 3002	RAL 3003	RAL 3004
RAL 3005	RAL 3007	RAL 3009	RAL 3011	RAL 3012	RAL 3013	RAL 3014	RAL 3015	RAL 3016	RAL 3017	RAL 3018	RAL 3020
RAL 3022	RAL 3034	RAL 3026	RAL 3027	RAL 3029	RAL 3031	RAL 3032	RAL 3033	RAL 4001	RAL 4002	RAL 4003	RAL 4004
RAL 4005	RAL 4006	RAL 4007	RAL 4008	RAL 4009	RAL 4010	RAL 4011	RAL 4012	RAL 5000	RAL 5001	RAL 5002	RAL 5003
RAL 5004	RAL 5005	RAL 5007	RAL 5008	RAL 5009	RAL 5010	RAL 5011	RAL 5012	RAL 5013	RAL 5014	RAL 5015	RAL 5017
RAL 5018	RAL 5019	RAL 5020	RAL 5021	RAL 5022	RAL 5023	RAL 5024	RAL 5025	RAL 5026	RAL 6000	RAL 6001	RAL 6002
RAL 6003	RAL 6004	RAL 6005	RAL 6006	RAL 6007	RAL 6008	RAL 6009	RAL 6010	RAL 6011	RAL 6012	RAL 6013	RAL 6014
RAL 6015	RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6020	RAL 6021	RAL 6022	RAL 6024	RAL 6025	RAL 6026	RAL 6027
RAL 6028	RAL 6029	RAL 6032	RAL 6033	RAL 6034	RAL 6035	RAL 6036	RAL 6037	RAL 6038	RAL 7000	RAL 7001	RAL 7002
RAL 7003	RAL 7004	RAL 7005	RAL 7006	RAL 7008	RAL 7009	RAL 7010	RAL 7011	RAL 7012	RAL 7013	RAL 7015	RAL 7016
RAL 7021	RAL 7022	RAL 7023	RAL 7024	RAL 7026	RAL 7030	RAL 7031	RAL 7032	RAL 7033	RAL 7034	RAL 7035	RAL 7036
RAL 7037	RAL 7038	RAL 7039	RAL 7040	RAL 7042	RAL 7043	RAL 7045	RAL 7046	RAL 7048	RAL 7047	RAL 7048	RAL 8000
RAL 8001	RAL 8002	RAL 8003	RAL 8004	RAL 8007	RAL 8008	RAL 8011	RAL 8012	RAL 8014	RAL 8015	RAL 8016	RAL 8017
RAL 8019	RAL 8022	RAL 8023	RAL 8024	RAL 8025	RAL 8028	RAL 8029	RAL 9000	RAL 9000	RAL 9000	RAL 9004	RAL 9005
RAL 9006	RAL 9007	RAL 9008	RAL 9011	RAL 9009	RAL 9017	RAL 9000	RAL 9022	RAL 9023			

Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: sales@britanniasecuritygroup.com



Retractable Gates

Britannia retractable gates are manufactured to meet the unique security requirement of the customer and the insurance standards. The gates are constructed from high quality steel, providing a strong physical deterrent. The design of the retractable gate system is aesthetically pleasing, whilst a 15% stacking width achieves almost total invisibility when open. All systems are easy to operate and virtually maintenance free.

SPECIFICATIONS

- Pickets and Lattice are constructed from 3mm thick steel
- Top and bottom tracks are High Tensile Aluminium
- Solid steel rivets and brass bushes
- Adams Rite Hook bolt locking system
- Finished in white powder coating but other colours are available
- Hinged bottom track to allow full floor clearance within an opening
- Swivel return to allow curtain stack to be moved
- Heavy duty track
- Multipoint locking system is designed to provide the customer with as much protec-

OPERATION/EXTRAS

- Hinged bottom track to allow full floor clearance within an opening
- Swivel return to allow curtain stack to be moved
- Powder coated finish (BS or RAL colours)
- Zinc plated finished for external use
- Heavy duty track
- Half and Full lock available



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Fencing/Electrical Fencing

Here at Britannia security & Maintenance we offer a wide range of security fencing and railings to provide a high level of perimeter security to your site. Included in our range is palisade fencing, Mesh fencing, steel railings etc. Whatever your site requirements are, the team at Britannia will be able to suggest to right security fencing for you.

PALISADE FENCING -


With steel spikes and an intimidating appearance, Palisade Fencing is a popular choice of security fencing for industrial and commercial sites across the UK. Made from high quality galvanised steel (meeting BS EN ISO 1461:2009 standards) and cold rolled during it's manufacture, Palisade is both lighter in weight and incredibly strong.

MESH FENCING -

Mesh Fencing is a strong and long-lasting security fencing solution which is supplied with a powder coated finish to further increase resilience. Another key benefit to using Mesh Fencing is that apertures between the wire mesh allow CCTV footage through the fencing system. With a choice of 358 Prison Mesh, 'V' Mesh and 656/868 Twin Mesh, there is always a solution to your steel fencing requirements.

Electric Fencing-

Railing systems are ideal for locations which require a low to medium level of security and where attractive boundary demarcation is needed. With a safe and stylish design, Railings are most suitable for domestic locations, as well as public areas such as parks, public gardens, commercial businesses and housing developments. Here at First Fence, we strive to meet the needs of all our customers, which is why we offer both Standard steel Railings and Self-Raking steel Railings.



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Ramp Posts + Bollards

Britannia Anti Ram Posts are manufactured to meet the security requirement of the customer and the Insurers. The posts are constructed from high quality steel, providing a strong physical deterrent with the option of fixed, removable posts or barrier systems.


The design of the system is aesthetically pleasing and systems are easy to operate and virtually maintenance free.

ANTI-RAM POSTS - SPECS

- 1200mm high x 100 x 100 x 6mm x hollow box section post
- 300mm deep box section ground socket with hinged lid / locking asp plate
- Hardened steel staple for padlock
- Primed or powder coated finish to RAL colour code
- Anti Ram Barriers – Specifications
- 2Nr 300mm x 300mm wall plates with cross bar location sockets and bullet locking system

OR

- 2Nr 1000mm high x 100 x 100 x 6mm hollow box section free standing posts with cross bar location sockets and bullet locking system
- Cross bar to suit opening width x 100 x 100 x 6mm box section post with lifting handles
- Primed or powder coated finish to RAL colour code



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



High Speed Doors

In addition to our range of Roller Shutters we supply and install a wide range of high speed doors. Our High Speed Doors can be used inside and outside of a building, enhancing the safety and efficiency of your workplace:

- supply and fit uk wide
- reliable and safe
- energy saving
- 12 month warranty (extensions available with servicing contract)

STANDARD SPEC

- 44mm Extruded Aluminium lath + Aluminium frame
- Electrically operated
- Powder coated in house any RAL colour to suit
- Canopy
- Auto locks
- Aluminium bottom rail
- Key Switch/Rocker & Remote unit optional
- Canopy included



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com



Security & Fire Doors

Our steel security doors are made to the highest quality guidelines and incorporate a multi-point locking system which locks 12 points around the steel frame. Like all of our products our steel security doors come CE marked which is a legal requirement for any type of door sold in the UK/Europe. Our single & double doors are available in either a standard or heavy duty version.

STANDARD DUTY/FIRE DOORS

- Expandable frame to accommodate 880-940 x 2075mm or 980-1040 x 2075mm
- Comes with frame, stainless steel handles, hinges and lock
- 9 to 12 point locking system
- Anti-jemmy hinge bolts
- Anti-jemmy lip round the frame
- 1.2mm frame, 0.8mm leaf with inbuilt steel strengthening
- 50mm thick door leaf filled with fibre glass / mineral wool
- CE marked / Approved product
- Reinforced panel for friction stay or door closer
- Easily removable threshold
- 4 heavy duty lift off hinges
- Full weather seal
- Hinged on the left or right, opening inwards or outwards
- Powder coated to stock Grey or any standard RAL or BS colour from £80.00
- Easy installation
- Best Prices in UK



Contact our office staff now to discuss your security needs:

Tel: 0800 137 683

or

Email: enquiries@britanniasecuritygroup.com